



**PROFESSIONAL
FASTENERS AND HARDWARE**

CIXI GEOBO HARDWARE CO., LTD
慈溪市卓邦金属制品有限公司

地址: 浙江省慈溪市慈甬路东瑞406号

Add: No.448 North Second Ring Road, ZhouXiang Town, CIXI City, NingBo 315324 China

电话(Tel): +86 574 63818236 / +86 13958299853

传真(Fax): +86 574 63819256

E-mail: info@cngeobo.com

website: http://www.cngeobo.com

skype: sales2@cngeobo.com



GEOBO卓邦

CIXI GEOBO HARDWARE CO., LTD

www.cngeobo.com



GEOBO HARDWARE SYSTEM



About us



Welcome to Geobo Hardware Manufacturer. Geobo is a professional supplier in fastener of precision rod type cold stamping, hole cold forming parts, stampings, turning parts and other precision metal products. When developing custom fasteners for customers, we utilize a fundamental knowledge of good joint design, together with a thorough understanding of purposes, geometry, components, loads involved with particle parts and the latest equipment as well.

Having rich experience in this field, we have established a comprehensive network of qualified partner-companies who we directly source from. Our team specializes in supplying a wide range of standard hardware parts including bolts, screws, nuts, washers, Anchors, Shelf Brackets, channel steel and accessory series etc. Processing can be based on DIN, ISO, ANSI, BS, JIS standard. To meet the requirements of different customers.

we aim at honesty, profession, solidarity, innovation and efficiency. We will continually try our utmost to return your trust with sincerity, down-to-earth work and quality products. To provide customers with competitive price, good quality, prompt delivery and perfect service has always been our everlasting pursuit and solemn promise.

If sourcing hardware from us, you not only benefit from our 2500-item product range, also from our extensive packaging services, because you will save time and money by having your preferred products packed in shelf-ready cardboard boxes, polythene bags, skin and blister packaging, and more. No wonder we're a hit with companies who understand that time is money retailers. Our company now enjoys an upstanding reputation with customers in Europe, America, Latin America and Africa etc.

"Customer is the first. Quality is the basis" are the principles in our services. If interested in any products we currently have available, please contact us with your detailed requirements. We are looking forward to receiving your correspondence.



Our motto:

What we pursue and concern most is to satisfy our clients!

Our principle:

Being professional, efficient, honest and innovative.

Our target:

Let the world know about Meigesi. Let Meigesi be known to the world!

Our advantage

Creating and providing our clients with highest value, superior quality and service.






CIXI GEOBO HARDWARE CO., LTD
www.cngeobo.com

Table of contents

自钻自攻类 Self-tapping screws & drilling screws	● P1-10
膨胀类 Anchors	● P11-23
家具五金类 Furniture hardware	● P25
螺母类 Nuts	● P27-29
螺栓机螺丝类 Bolts/Screws	● P31-35
垫片类 Washers	● P37
索具类 Riggings	● P39-42
非标件 Non-standard products	● P43-44

Self-tapping screws & drilling screws



Pan Head Philips Self-Drilling Tapping Screws With Collar




d	dk	k	l
4.2	10.6-11.2	2.5	13-75

Drywall Screws (Fine Thread / Coarse Thread)




d	dk	L
3.5	7.9-8.5	16-55
3.9	7.9-8.5	65-70
4.2	7.9-8.5	65-102
4.8	8.8-9.4	90-152

Concrete Screws T30 or T25



Size	d	dk	K	P	L	Pcs/Box/Ctn
7.5X52	7.5	11	3.4	2.6	52	200X8/1600
7.5X62	7.5	11	3.4	2.6	62	200X8/1200
7.5X72	7.5	11	3.4	2.6	72	100X8/800
7.5X82	7.5	11	3.4	2.6	82	100X8/800
7.5X92	7.5	11	3.4	2.6	92	100X8/800
7.5X102	7.5	11	3.4	2.6	102	100X8/800
7.5X112	7.5	11	3.4	2.6	112	100X8/800
7.5X122	7.5	11	3.4	2.6	122	100X8/600
7.5X132	7.5	11	3.4	2.6	132	100X8/600
7.5X142	7.5	11	3.4	2.6	142	100X8/600
7.5X152	7.5	11	3.4	2.6	152	100X8/600
7.5X162	7.5	11	3.4	2.6	162	100X8/600
7.5X172	7.5	11	3.4	2.6	172	100X8/600
7.5X182	7.5	11	3.4	2.6	182	100X8/600
7.5X192	7.5	11	3.4	2.6	192	100X8/600
7.5X202	7.5	11	3.4	2.6	202	100X8/600
7.5X212	7.5	11	3.4	2.6	212	100X8/600

Hexagonal Washer Head Self-Drilling Tapping Screws (DIN7504-K)



d	dk	s	k	l
3.5	8.3	5.5	3.4	13-51
3.9	8.3	5.5	3.8	13-80
4.2	8.8	7.0	4.0	13-100
4.8	10.5	8.0	4.3	13-100
5.5	11.0	8.0	5.3	19-130
6.3	13.2	10.0	6.3	19-200

Pan Head Philips Self-Drilling Tapping Screws(DIN7504-N)



d	dk	k	l
3.5	6.9	2.6	13-55
3.9	7.5	2.8	13-65
4.2	8.2	3.05	13-100
4.8	9.5	3.55	13-100
5.5	10.8	3.95	13-100
6.3	12.5	4.55	13-100

Countersunk Head Philips Self-Drilling Tapping Screws (DIN7504-P)



d	dk	k	l
3.5	6.8	2.1	13-55
3.9	7.5	2.3	13-60
4.2	8.1	2.5	13-75
4.8	9.5	3.0	13-100
5.5	10.8	3.4	16-100
6.3	12.4	3.8	16-100

Raised Countersunk Head Philips Self-Drilling Tapping Screws(DIN7504-Q)



d	dk	f	k	l
3.5	6.8	1.2	2.1	6.5-50
3.9	7.5	1.3	2.3	9.5-50
4.2	8.1	1.4	2.5	9.5-50
4.8	9.5	1.5	3.0	9.5-63
5.5	10.8	1.7	3.4	16-100
6.3	12.4	2.0	3.8	16-100

Flat Countersunk Head Hi-Low Thread Self-Tapping Screw



Specification	Specification	Specification
3.9 x 19	3.9 x 25	3.9 x 35
3.9 x 22	3.9 x 30	3.9 x 45

Torx Drive Countersunk Head Chipboard Screw With Drilling Point



Specification	Specification	Specification
4.0x30	5.0x40	6.0x100
4.0x40	5.0x50	6.0x120
4.0x50	5.0x60	6.0x140
4.0x60	5.0x70	6.0x150
4.0x70	5.0x80	6.0x160
4.5x40	5.0x100	6.0x180
4.5x50	6.0x060	6.0x200
4.5x60	6.0x080	

Pozi Countersunk Head Nail Screw With Umbrella Thread




Specification	Specification	Specification
5.5x65	5.5x165	7.0x140
5.5x85	7.0x65	7.0x165
5.5x105	7.0x85	7.0x185
5.5x125	7.0x105	7.0x205
5.5x145	7.0x120	

Philips Bugle Head Drywall Screw with drilling point



Specification	Specification	Specification
3.5x13	3.5x32	3.5x55
3.5x16	3.5x35	3.5x64
3.5x19	3.5x42	3.5x76
3.5x25	3.5x45	4.2x76
3.5x28	3.5x51	

Pozi Countersunk Head Nail Screw



Specification	Specification	Specification
3.5x30	3.8x84	4.8x102
3.5x35	4.8x63	4.8x122
3.5x40	4.8x83	4.8x142
3.5x45	4.8x103	4.8x64
3.5x50	4.8x123	4.8x84
3.5x55	4.8x47	4.8x105
3.8x38	4.8x62	4.8x125
3.8x45	4.8x77	4.8x145
3.8x64	4.8x82	4.8x165

Eye Nook Wood Screw



Specification	Specification	Specification
3.5x30	4.0x70	6.0x40
3.5x45	5.0x20	6.0x50
4.0x40	5.0x40	6.0x60
4.0x50	5.0x65	6.0x70
4.0x60	5.0x85	6.0x80

Square Hook Wood Screw



Specification	Specification	Specification
3.0x40	8.0x100	6.0x40
3.5x45	4.0x30	6.0x60
4.0x50	4.0x65	6.0x80
5.0x65	5.0x20	6.0x100
6.0x75	5.0x40	6.0x120
6.0x100	5.0x65	6.0x140
8.0x85	5.0x85	8.0x100

Cup Hook Wood Screw



Specification	Specification	Specification
3.5x45	5.0x20	6.0x60
4.0x30	5.0x40	6.0x80
4.0x40	5.0x65	6.0x100
4.0x50	5.0x85	6.0x120
4.0x65	6.0x40	6.0x140

Fillister Head Self-Tapping Drilling Screw



		Specification	Specification
		3.5 x 9.5	3.9 x 9.5
		Specification	Specification
		3.5 x 11	3.9 x 11

Self-Drilling Tapping Window Screw

		Specification	Specification	Specification
		3.9x13	3.9x25	3.9x41
		3.9x16	3.9x32	3.9x45
		3.9x19	3.9x35	3.9x50
		3.9x22	3.9x38	3.9x60

		Specification	Specification	Specification
		4.0x16	4.0x30	4.0x45
		4.0x20	4.0x35	4.0x50
		4.0x25	4.0x40	



Raised Countersunk Head Tapping Screws With Slot(DIN7973)

		d	dk	f	k	n	t	l
		2.9	5.5	0.9	1.7	0.8	1.25-1.5	6.5-25
		3.5	6.8	1.2	2.1	1.0	1.55-1.9	6.5-50
		3.9	7.5	1.3	2.3	1.0	1.7-2.05	9.5-50
		4.2	8.1	1.4	2.5	1.2	1.85-2.25	9.5-50
		4.8	9.5	1.5	3.0	1.2	2.15-2.6	9.5-63
		5.5	10.8	1.7	3.4	1.6	2.45-2.95	13-75
		6.3	12.4	2.0	3.8	1.6	2.85-3.45	13-75



Phillips Washer Head Self-Tapping Screw

		A	B	C	A	B	C	
		10.6-11.2	13	4.2	10.6-11.2	41	4.2	
		10.6-11.2	16	4.2	10.6-11.2	51	4.2	
		10.6-11.2	19	4.2	10.6-11.2	65	4.2	
		10.6-11.2	25	4.2	10.6-11.2	75	4.2	


Pan Head Tapping Screws With Slot(DIN7971)

		d	dk	k	n	t	l
		2.9	5.8	1.50	0.8	0.75-1.0	6.5-25
		3.5	6.9	1.85	1.0	0.95-1.25	6.5-50
		3.9	7.5	2.00	1.0	1.05-1.4	9.5-50
		4.2	8.2	2.15	1.2	1.15-1.5	9.5-50
		4.8	9.5	2.50	1.2	1.35-1.7	9.5-63
		5.5	10.8	2.85	1.6	1.55-1.95	13-75
		6.3	12.5	3.20	1.6	1.8-2.2	13-75

Countersunk Head Tapping Screws With Slot(DIN7972)


		d	dk	k	n	t	l
		2.9	5.5	1.7	0.8	0.5-0.75	6.5-25
		3.5	6.8	2.1	1.0	0.6-0.95	6.5-50
		3.9	7.5	2.3	1.0	0.7-1.05	9.5-50
		4.2	8.1	2.5	1.2	0.75-1.15	9.5-50
		4.8	9.5	3.0	1.2	0.85-1.35	9.5-63
		5.5	10.8	3.4	1.6	1.0-1.5	13-75
		6.3	12.4	3.8	1.6	1.2-1.75	13-75

Cross Recessed Pan Head Tapping Screws(DIN7981)




d	dk	k	l
2.9	5.6	2.2	6.5-25
3.5	6.9	2.6	6.5-50
3.9	7.5	2.8	9.5-50
4.2	8.2	3.05	9.5-63
4.8	9.5	3.55	9.5-63
5.5	10.8	3.95	13-75
6.3	12.5	4.55	13-75

Cross Recessed Countersunk Head Tapping Screws(DIN7982)




d	dk	k	l
2.9	5.5	1.7	6.5-25
3.5	6.8	2.1	6.5-50
3.9	7.5	2.3	9.5-50
4.2	8.1	2.5	9.5-50
4.8	9.5	3.0	9.5-63
5.5	10.8	3.4	13-75
6.3	12.4	3.8	13-75

Cross Recessed Raised Countersunk Head Tapping Screws(DIN7983)




d	dk	f	k	l
2.9	5.5	0.9	1.7	6.5-25
3.5	6.8	1.2	2.1	6.5-50
3.9	7.5	1.3	2.3	9.5-50
4.2	8.1	1.4	2.5	9.5-50
4.8	9.5	1.5	3.0	9.5-63
5.5	10.8	1.7	3.4	13-75
6.3	12.4	2.0	3.8	13-75

Cross Recessed Pan Head Tapping Screws With Collar




d	dk	k	l
4.2	11	2.5	13-75

Hexagonal Head Wood Screws(DIN571)




d	5	6	8	10	12	16
K	3.5	4	5.5	7	8	10
s	8	10	13	17	19	24
L	20-100	25-150	20-300	30-400	45-400	50-460

Slotted Oval Countersunk Head Wood Screws(DIN95)




d	dk	k	n	t	f	k	l
2.5	4.7	1.5	0.6	1.0-1.2	0.60	1.5	10-25
3.0	5.6	1.65	0.8	1.2-1.45	0.75	1.65	10-40
3.5	6.5	1.93	0.8	1.4-1.7	0.90	1.93	12-50
4.0	7.5	2.2	1.0	1.6-1.9	1.00	2.2	12-70
4.5	8.3	2.35	1.0	1.8-2.1	1.10	2.35	16-70
5.0	9.2	2.5	1.2	2.0-2.3	1.25	2.5	16-100
6.0	11.0	3.0	1.6	2.4-2.8	1.50	3.0	20-140

Slotted Round Head Wood Screws(DIN96)




d	dk	k	n	t	l
3.0	6	2.1	0.8	1.05-1.35	10-40
3.5	7	2.4	0.8	1.2-1.6	12-50
4.0	8	2.8	1.0	1.4-1.8	12-70
4.5	9	3.1	1.0	1.55-2.0	16-70
5.0	10	3.5	1.2	1.75-2.3	16-100
6.0	12	4.2	1.6	2.1-2.7	20-140

Slotted Countersunk Head Wood Screws(DIN97)




d	dk	k	f	l
3.0	5.6	1.65	0.75	10-40
3.5	6.5	1.93	0.90	12-50
4.0	7.5	2.2	1.00	12-70
4.5	8.3	2.35	1.10	16-70
5.0	9.2	2.5	1.25	16-100
6.0	11.0	3.0	1.50	20-140

Cross Recessed Countersunk Head Wood Screws(DIN7997)




d	dk	k	l
3.0	5.6	1.65	10-40
3.5	6.5	1.93	12-50
4.0	7.5	2.2	12-70
4.5	8.3	2.35	16-70
5.0	9.2	2.5	16-100
6.0	11.0	3.0	20-140

Cross Recessed Oval Countersunk Head Wood Screws(DIN7995)




d	dk	k	l
3.0	6	2.1	10-40
3.5	7	2.4	12-50
4.0	8	2.8	12-70
4.5	9	3.1	16-70
5.0	10	3.5	16-100
6.0	12	4.2	20-140

Confirmat Screws



Size	d	L
5X40	5.0	40
5X50	5.0	50
6.4X50	6.4	50
7X40	7.0	40
7X50	7.0	50
7X70	7.0	70

Cross Recessed Round Head Wood Screws(DIN7996)




d	dk	k	n	t	l
3.0	5.6	1.65	0.8	0.6-0.85	10-40
3.5	6.5	1.93	0.8	0.7-1.0	12-50
4.0	7.5	2.2	1.0	0.8-1.1	12-70
4.5	8.3	2.35	1.0	0.9-1.2	16-70
5.0	9.2	2.5	1.2	1.0-1.3	16-100
6.0	11.0	3.0	1.6	1.2-1.6	20-140

Nail Screws



Size	d	dk	L
4X38	4	7.5	38
4X43	4	7.5	43
4X63	4	7.5	63
4X83	4	7.5	83
5X63	5	10.2	63
5X83	5	10.2	83
5X103	5	10.2	103
5X123	5	10.2	123
5X143	5	10.2	143

Hanger Bolts With Wood & Metric Thread



Size	s	L
M6	5	60-150
M8	6	50-250
M10	8	50-250

Chipboard Screws




d	dk	k	L
3.0	6	3.2	12-50
3.5	7	3.6	12-70
4.0	8	4.25	12-90
4.5	9	4.6	16-100
5.0	10	5.2	20-120
6.0	12	6.2	20-220

Anchors




Metal Frame Anchors




Size	D	d	dk	l	L	Pcs/Box/Ctn
8X72	8	M5	10.2	72	82	150X8/900
8X92	8	M5	10.2	92	102	150X8/900
8X112	8	M5	10.2	112	122	150X4/600
8X132	8	M5	10.2	132	142	150X4/600
8X172	8	M5	10.2	172	182	100X8/600
10X52	10	M6	13.2	52	62	100X8/600
10X72	10	M6	13.2	72	82	100X8/600
10X92	10	M6	13.2	92	102	100X8/600
10X112	10	M6	13.2	112	122	100X4/400
10X132	10	M6	13.2	132	142	100X4/400
10X152	10	M6	13.2	152	162	100X4/400
10X182	10	M6	13.2	182	192	50X8/300
10X202	10	M6	13.2	202	212	50X8/300

Sleeve Anchor With Flange Nut
Sleeve Anchor With Hex Nut



Sleeve Anchor With Hex Bolt
Sleeve Anchor With C、O Hook Bolt




Size	d	D	L1	L2	Pull Out (Kgs)	Pcs/Box/Ctn	Fastener Material Thickness
8X25	M6	8	20.5	33.1	800	100X10/1000	3
8X40	M6	8	34.5	47.1	800	100X10/1000	12
8X45	M6	8	40.3	52	800	100X10/1000	17
8X50	M6	8	44.5	57	800	100X10/1000	22
8X60	M6	8	54.5	67	800	80X10/500	32
8X65	M6	8	60.3	72.9	800	80X10/500	37
8X70	M6	8	64.5	77	800	80X10/500	42
8X80	M6	8	74.5	87	800	80X10/500	52
8X85	M6	8	80.3	92.9	800	80X10/500	57
8X90	M6	8	84.5	97	800	80X10/500	62
8X100	M6	8	94.5	107	800	80X10/500	72
8X120	M6	8	114.5	127	800	80X10/500	92
8X140	M6	8	135.3	147	800	80X10/500	112
10X40	M8	10	35	49.9	1500	80X10/500	3
10X50	M8	10	43.3	58.2	1500	80X10/500	12
10X55	M8	10	48	63.2	1500	80X10/500	13
10X60	M8	10	53	67.9	1500	80X10/500	15
10X65	M8	10	58	72.9	1500	80X10/500	20
10X70	M8	10	63	77.9	1500	80X10/500	33
10X77	M8	10	69.9	84.8	1500	80X10/500	39
10X80	M8	10	83	97.8	1500	80X10/500	52
10X97	M8	10	89.9	104.8	1500	80X10/500	59
10X120	M8	10	112.9	128	1500	80X10/500	82
10X125	M8	10	119.9	133	1500	80X10/500	87
10X130	M8	10	122.9	138	1500	80X10/500	92
10X140	M8	10	133	149	1500	80X10/500	102
10X150	M8	10	142.9	159	1500	80X10/500	112

Size	d	D	L1	L2	Pull Out (Kgs)	Pcs/Box/Ctn	Fastener Material Thickness
10X180	M8	10	172.9	189	1500	80X10/500	142
12X60	M10	12	51	69.4	2500	50X5/250	15
12X75	M10	12	66	84.4	2500	50X5/250	27
12X90	M10	12	71	89.4	2500	50X5/250	32
12X99	M10	12	90	108.4	2500	50X5/250	51
12X110	M10	12	101	119	2500	25X5/125	62
12X120	M10	12	111	129	2500	25X5/125	72
12X129	M10	12	120	138.4	2500	25X5/125	81
12X140	M10	12	131	149	2500	25X5/125	92
12X150	M10	12	141	160	2500	25X5/125	102
12X160	M10	12	151	169	2500	25X5/125	112
12X170	M10	12	161	179	2500	25X5/125	122
12X180	M10	12	171	189	2500	25X5/125	132
16X65	M12	16	55	76.4	3700	25X10/250	20
16X85	M12	16	75	98.4	3700	25X10/250	40
16X111	M12	16	101.6	125	3700	10X10/100	65
16X147	M12	16	136.4	159.8	3700	10X10/100	102
16X165	M12	16	155	178.4	3700	10X10/100	120
16X180	M12	16	169.4	193	3700	10X10/100	135
16X200	M12	16	189.8	210	3700	10X10/100	155
16X220	M12	16	206.4	230	3700	10X10/100	175
20X75	M16	20	64	90.9	5100	10X10/100	25
20X107	M16	20	97	123.9	5100	8X10/50	57
20X151	M16	20	141	165	5100	8X10/50	101
20X181	M16	20	151	175	5100	8X10/50	111
20X180	M16	20	170	195	5100	8X10/50	130
20X200	M16	20	189	215	5100	8X10/50	150

Size	d	D	L	I	Pull Out (Kgs)	Pcs/Box/Ctn	Fastener Material Thickness
8x40	M6	8	40	30	800	100X10/1000	12
8x45	M6	8	45	34.5	800	100X10/1000	17
8x60	M6	8	60	50	800	50X10/500	32
8x80	M6	8	80	70	800	50X10/500	52
8x85	M6	8	85	75	800	50X10/500	57
8x90	M6	8	90	80.3	800	50X10/500	62
8x100	M6	8	100	90.3	800	50X10/500	72
10X50	M8	10	50	38	1500	50X10/500	12
10X55	M8	10	55	41	1500	50X10/500	13
10X60	M8	10	60	46	1500	50X10/500	15
10X75	M8	10	75	61	1500	50X10/500	27
10X80	M8	10	80	66	1500	50X10/500	30
10X85	M8	10	85	71	1500	50X10/500	35
10X100	M8	10	100	86	1500	50X10/500	62
10X110	M8	10	110	96	1500	50X10/500	72
10X115	M8	10	115	101	1500	50X5/250	77

Size	d	D	L	I	Pull Out (Kgs)	Pcs/Box/Ctn	Fastener Material Thickness
10X120	M8	10	120	106	1500	50X5/250	82
10X125	M8	10	125	111	1500	50X5/250	87
10X130	M8	10	130	116	1500	50X5/250	92
10X140	M8	10	140	124.9	1500	50X5/250	102
12X85	M10	12	65	48	2500	50X5/250	20
12X70	M10	12	70	53.5	2500	50X5/250	25
12X80	M10	12	80	63.5	2500	50X5/250	30
12X100	M10	12	100	83.5	2500	50X5/250	51
12X110	M10	12	110	93.5	2500	25X5/125	61
12X120	M10	12	120	103.5	2500	25X5/125	71
12X140	M10	12	140	123.5	2500	25X5/125	91
12X150	M10	12	150	133.5	2500	25X5/125	101
16X80	M12	16	80	63	3700	25X5/125	35
16X110	M12	16	110	93	3700	10X10/100	65
16X130	M12	16	130	113	3700	10X10/100	85
16X150	M12	16	150	133	3700	10X10/100	105


Bolt Anchors



Size	d	L	D	l	Pull Out (Kgs)	Pcs/Box/Ctn
1/4X50	1/4-20	50	9.5	30	890	100X20/2000
5/16X65	5/16-18	65	12	35	1390	100X20/2000
3/8X75	3/8-16	75	14	40	1600	50X20/1000
1/2X100	1/2-13	100	16.6	50	2540	50X10/500
5/8X100	5/8-11	100	21.7	50	3300	25X8/200
5/8X125	5/8-11	125	21.7	60	3300	25X8/200
3/4X160	3/4-10	160	25.4	80	4950	25X8/150



Drop In Anchors




Size	d	D	L	Pull Out(kgs)	Pcs/Box/Ctn
M6	M6	8	25	950	100X20/2000
M8	M8	10	30	1350	100X20/2000
M10	M10	12	40	1950	50X20/1000
M12	M12	16	50	2900	50X10/500
M16	M16	20	65	4850	25X8/200
M20	M20	25	80	5900	25X8/150




Wedge Anchors

Size	d	L	b	Max Fast Thickness	Pull Out (Kgs)
M6X40	M6	40	16	3	850
M6X55	M6	55	25	15	850
M6X70	M6	70	30	30	850
M6X95	M6	95	50	55	850
M8X50	M8	50	20	10	1150
M8X65	M8	65	30	20	1150
M8X80	M8	80	40	35	1150
M8X95	M8	95	50	50	1150
M8X105	M8	105	50	60	1150
M8X120	M8	120	60	75	1150
M8X165	M8	165	100	135	1150
M8X220	M8	220	100	175	1150
M10X65	M10	65	25	15	1500
M10X80	M10	80	40	20	1500
M10X95	M10	95	45	35	1500
M10X115	M10	115	55	55	1500
M10X120	M10	120	60	60	1500
M10X130	M10	130	65	70	1500
M12X80	M12	100	35	20	2300
M12X100	M12	100	50	30	2300
M12X120	M12	120	50	50	2300
M12X135	M12	135	70	65	2300
M12X150	M12	150	80	80	2300
M16X105	M16	105	50	15	3400
M16X140	M16	140	60	40	3400
M16X180	M16	180	75	80	3400



Size	d	L	b	Max Fast Thickness	Pull Out (Kgs)
M16X220	M16	220	100	120	3400
M20X125	M20	125	50	15	5400
M20X160	M20	160	75	40	5400
M20X200	M20	200	100	80	5400
M20X300	M20	300	170	180	5400

Hit Anchors




Size	d	L	b	Pull Out (Kgs)
M6x40	M6	40	15	450
M6x50	M6	50	20	450
M6x60	M6	60	20	450
M8x50	M8	50	20	900
M8x60	M8	60	20	900
M8x70	M8	70	25	900
M10x50	M10	50	20	1300




Size	d	L	b	Pull Out (Kgs)
M10x60	M10	60	20	1300
M10x70	M10	70	25	1300
M10x80	M10	80	25	1300
M10x90	M10	90	25	1300
M10x100	M10	100	30	1300
M10x120	M10	120	30	1300
M12x80	M12	80	30	1600
M12x90	M12	90	30	1600
M12x100	M12	100	30	1600
M12x120	M12	120	50	1600
M16x100	M16	100	40	2600
M16x150	M16	150	40	2600
M20x150	M20	150	50	3000
M20x190	M20	190	50	3000

Gravity/Spring Toggle Anchors




Size	d	L	Drill Dia	Pcs/Box/Ctn
M4X75	M4	75	12	100X10/1000
M4X90	M4	90	12	100X10/1000
M4X100	M4	100	12	100X8/800
M5X75	M5	75	15	100X8/800
M5X90	M5	90	15	100X8/800
M5X100	M5	100	15	100X6/600
M6X75	M6	75	17	100X8/800
M6X90	M6	90	17	100X8/800
M6X100	M6	100	17	100X6/600

Nylon Hammer Drive Anchors




Size	d	L	Pcs/Box/Ctn
5X30	5	30	100X10/1000
5X40	5	40	100X10/1000
6X40	6	40	100X8/800
6X60	6	60	100X6/600
6X80	6	80	100X6/600
8X60	8	60	100X6/600
8X80	8	80	100X4/400
8X100	8	100	100X4/400
8X120	8	120	100X4/400
10X80	10	80	100X4/400
10X100	10	100	100X4/400
10X120	10	120	100X4/400
10X140	10	140	100X3/300
10X160	10	160	100X3/300

Hollow Wall Anchors



Size	d	D	L	Pcs/Box/Ctn
M4X20	M4	7	20	1000 / 4 / 4000
M4X25	M4	7	25	500 / 6 / 3000
M4X32	M4	7	32	500 / 6 / 3000
M4X38	M4	7	38	500 / 4 / 2000
M4X46	M4	7	46	500 / 4 / 2000
M4X54	M4	7	54	500 / 4 / 2000
M4X59	M4	7	59	500 / 4 / 2000
M5X37	M5	9	37	400 / 4 / 1600
M5X45	M5	9	45	400 / 4 / 1600
M5X52	M5	9	52	300 / 4 / 1200
M5X65	M5	9	65	250 / 4 / 1000
M5X80	M5	9	80	250 / 4 / 1000
M6X37	M6	11	37	250 / 4 / 1000
M6X45	M6	11	5	250 / 4 / 1000
M6X52	M6	11	52	250 / 4 / 1000
M6X65	M6	11	65	100 / 6 / 600
M6X80	M6	11	80	100 / 4 / 400


Zinc Alloy Hammer Drive Anchors



Size	L	Pull Out Kgs
6X30	30	330
6X40	40	370
6X50	50	430
6X65	65	430




- 3 Pcs Heavy Duty Shell Anchors
- 3 Pcs Heavy Duty Shell Anchors With Hex Bolt (G4.8)
- 3 Pcs Heavy Duty Shell Anchors With C Hook Bolt
- 3 Pcs Heavy Duty Shell Anchors With O Hook Bolt



Size	d	D	l
M6	M6	12	45
M8	M8	14	50
M10	M10	16	60
M12	M12	20	75




- 2 Pcs Heavy Duty Shell Anchors
- 2 Pcs Heavy Duty Shell Anchors With Hex Bolt (G4.8)
- 2 Pcs Heavy Duty Shell Anchors With C Hook Bolt
- 2 Pcs Heavy Duty Shell Anchors With O Hook Bolt



Size	d	D	l
M6	M6	12	45
M8	M8	14	50
M10	M10	16	60
M12	M12	20	75




- 4 Pcs Heavy Duty Shell Anchors
- 4 Pcs Heavy Duty Shell Anchors With Hex Bolt (G4.8)
- 4 Pcs Heavy Duty Shell Anchors With C Hook Bolt
- 4 Pcs Heavy Duty Shell Anchors With O Hook Bolt



Size	d	D	l
M6	M6	10	40
M8	M8	14	50
M10	M10	16	60
M12	M12	20	80




Celling Anchors



Size	L	Max Fast Thickness	Pcs/Box/Ctn
6X40	40	5	300
6X60	60	35	200




Zinc Alloy Easy Drive Anchors / Plastic Easy Drive Anchors



Size	d	L	Pcs/Box/Ctn
14X28	14	28	100X20/2000
14X38	14	38	100X12/1200




Universal Metal Plugs



Size	d	L
5X30	5	30
6X32	6	32
8X38	8	38
8X60	8	60
10X80	10	60




Pin Anchor



Specification	Specification	Specification
6x30	8x100	8x150
6x40	8x70	8x180
6x50	8x90	8x200
6x60	8x110	
6x80	8x130	




Plastic Heat Preservation Dowel Nail



Specification	Specification	Specification
8x60	10x80	10x140
8x80	10x90	10x160
8x100	10x100	10x180
8x120	10x110	10x200
10x70	10x120	10x220




Metal Heat Preservation Dowel Nail



Specification	Specification	Specification
8x50	8x110	8x200
8x60	8x140	8x220
8x80	8x150	8x240
8x90	8x170	8x300




Sleeve Anchor



Specification	Specification	Specification
M6x8x45	M8x10x100	M16x20x120
M6x8x65	M10x12x70	M20x24x140
M8x10x55	M10x12x85	
M8x10x75	M10x12x110	




Copper Drop In Anchor



Specification	Specification	Specification
M4x5.5x15	M8x10x30	M12x15x40
M5x6.5x22	M10x12x32	M12x16x38
M6x8x24	M10x12x35	M16x18x45



Tire Wire Anchor




Specification	Specification
6x40	6x50
6x55	6x60
6x65	




Nuts

"Z" Allen Key




Specification	Specification
48*20 (SW4)	

Confirmat Screw



Specification	Specification
6.3X50	7X70
7X50	7X85
7X60	

"L" Allen Key




Specification	Specification
54x28(SW2.5)	120x31(SW5)
60x22(SW3)	86x36(SW6)
66x28(SW4)	88x33(SW8)
76x31(SW5)	145x33(SW8)

T Nut With 4 Sprong




Specification	Specification
M4x8	M6x15
M5x8	M8x11
M6x9	M12x14
M6x12	

Shelf Support



Specification	Specification
5cm	8cm
6cm	9cm


Binding Screw



Specification	Specification
5x30	7.5x35
7.5x20	7.5x40
7.5x25	
7.5x30	




Hexagonal Nuts
(DIN934)




D	s	m
M3	5.5	2.4
M4	7	3.2
M5	8	4.0
M6	10	5.0
M8	13	6.5
M10	17	8.0
M12	19	10.0
M14	22	11.0
M16	24	13.0
M20	30	16.0
M24	36	19.0
M30	46	24.0
M36	55	29.0

Hexagonal Slotted Nuts
(DIN935)




d	s	m
M6	10	7.5
M8	13	9.5
M10	17	12
M12	19	15
M14	22	16
M16	24	19
M18	27	21
M20	30	22
M22	32	26
M24	36	27
M27	41	30
M30	46	33
M33	50	35
M36	55	38

Hexagonal Nuts With Flange
(DIN6923)




d	s	m	dk
M5	8	5	11.8
M6	10	6	14.2
M8	13	8	17.9
M10	15	10	21.8
M12	18	12	26.0
M14	21	14	29.9
M16	24	16	34.5
M20	30	20	42.8

Steel Lock Hexagonal Nuts
With Nylon Insert(DIN985)




d	H	m	s
M5	5	4.0	8
M6	6	5.0	10
M8	8	6.5	13
M10	10	8.0	17
M12	12	10.0	19
M14	14	11.0	22
M16	16	13.0	24
M20	20	16.0	30

Cap Nuts (DIN1587)




d	h	m max	s
M3	7	2.4	5.5
M4	8	3.2	7
M5	10	4.0	8
M6	12	5.0	10
M8	15	6.5	13
M10	18	8.0	17
M12	22	10	19
M14	25	11	22
M16	28	13	24

Wing Nuts(DIN315)




d	d1	e	g	h	m
M4	6	18	1.7	8.5	3.2
M5	8	24	2.3	11	4.0
M6	10	30	2.7	15	5.0
M8	13	36	3.6	18	6.5
M10	17	48	4.6	23	8.0
M12	20	62	5.6	31	10.0
M16	26	70	6.5	35	13.0
M20	32	86	7.0	44	16.0
M24	41	106	8.6	53.5	20.0

Square Nuts(DIN557)




d	s	m
M5	8	4
M6	10	5
M8	13	6.5
M10	16	8
M12	18	10
M16	24	13
M20	30	16

Hexagonal Head Bolts (DIN931)




d	k	s	l
M4	2.8	7	25-40
M5	3.5	8	25-50
M6	4.0	10	25-120
M8	5.3	13	30-180
M10	6.4	17	40-300
M12	7.5	19	40-300
M14	8.8	22	40-300
M16	10.0	24	40-300
M18	11.5	27	45-300
M20	12.5	30	45-300
M22	14.0	32	45-300
M24	15.0	36	45-300
M27	17.0	41	70-300
M30	18.7	46	70-300

Hexagonal Head Bolts (DIN558)




d	k	s	l
M5	3.5	8	25-50
M8	5.3	13	30-180
M6	4.0	10	25-120
M10	6.4	17	40-300
M12	7.5	19	40-300
M16	10.0	24	40-300
M20	12.5	30	45-300
M24	15.0	36	45-300
M30	18.7	46	70-300
M36	22.5	55	100-300

Hexagonal Head Bolts (DIN933)




d	k	s	l
M4	2.8	7	25-40
M5	3.5	8	25-50
M6	4.0	10	25-120
M8	5.3	13	30-180
M10	6.4	17	40-300
M12	7.5	19	40-300
M14	8.8	22	40-300
M16	10.0	24	40-300
M18	11.5	27	45-300
M20	12.5	30	45-300
M22	14.0	32	45-300
M24	15.0	36	45-300
M27	17.0	41	70-300
M30	18.7	46	70-300

Hexagonal Head Bolts (DIN960)




d	k	s	l
M8X1	5.3	13	30-180
M10X1	6.4	17	40-300
M10X1.25	6.4	17	40-300
M12X1.25	7.5	19	40-300
M12X1.5	7.5	19	40-300
M14X1.5	8.8	22	40-300
M16X1.5	10.0	24	40-300
M18X1.5	11.5	27	45-300
M20X1.5	12.5	30	45-300
M20X2	12.5	30	45-300
M22X1.5	14.0	32	45-300
M24X2	15.0	36	45-300
M27X2	17.0	41	70-300
M30X2	18.7	46	70-300
M30X3	18.7	46	70-300

Carriage Bolt with Mushroom Head and Square Neck(DIN603)




d	dk	k	f	l
M5	13.55	3.30	4.10	10-120
M6	16.55	3.88	4.60	10-230
M8	20.65	4.88	5.60	16-300
M10	24.65	5.38	6.60	20-300
M12	30.65	6.95	8.75	20-300
M16	38.80	8.95	12.9	30-300

Hexagonal Socket Head Bolts (DIN912)




d	t min	s	k max	dk	l
M4	2.0	3.0	4.0	7.0	25-40
M5	2.5	4.0	5.0	8.5	25-50
M6	3.0	5.0	6.0	10.0	25-120
M8	4.0	6.0	8.0	13.0	30-180
M10	5.0	8.0	10.0	16.0	40-300
M12	6.0	10.0	12.0	18.0	40-300
M14	7.0	12.0	14.0	21.0	40-300
M16	8.0	14.0	16.0	24.0	40-300
M18	9.0	14.0	18.0	27.0	45-300
M20	10.0	17.0	20.0	30.0	45-300

Machine Screws (DIN85)




d	k	dk	n	t	l
M3	1.8	6	0.8	0.7-0.95	3-40
M4	2.4	8	1.0	1.0-1.3	4-50
M5	3.0	10	1.2	1.2-1.5	6-50
M6	3.6	12	1.6	1.5-1.9	8-50
M8	4.8	16	2.0	1.9-2.4	10-55
M10	6.0	20	2.5	2.4-3.0	12-60

Machine Screws (DIN963)



d	k	dk	n	t	l
M3	1.65	5.6	0.8	0.6-0.85	3-40
M4	2.2	7.5	1.0	0.8-1.1	4-50
M5	2.5	9.2	1.2	1.0-1.3	6-50
M6	3.0	11	1.6	1.2-1.6	8-50
M8	4.0	14.5	2.0	1.6-2.1	10-55
M10	5.0	18	2.5	2.0-2.6	12-60
M12	6.0	22	3.0	2.4-3.0	20-80


Machine Screws (DIN964)



d	dk	f	k	n	t	l
M3	5.6	0.75	1.65	0.8	1.2-1.45	3-40
M4	7.5	1.0	2.2	1.0	1.6-1.9	4-50
M5	9.2	1.25	2.5	1.2	2.0-2.3	6-50
M6	11	1.5	3.0	1.6	2.4-2.8	8-50
M8	14.5	2.0	4.0	2.0	3.2-3.7	10-55
M10	18	2.5	5.0	2.5	4.0-4.6	12-60


Washers

Machine Screws (DIN7985)




d	dk	k	l
M3	6	2.4	3-40
M4	8	3.1	4-50
M5	10	3.8	6-50
M6	12	4.6	8-50
M8	16	6.0	10-55
M10	20	7.5	12-60

Machine Screws (DIN965)




d	dk	k	l
M3	5.6	1.65	3-40
M4	7.5	2.2	4-50
M5	9.2	2.5	6-50
M6	11	3.0	8-50
M8	14.5	4.0	10-55
M10	18	5.0	12-60

Machine Screws (DIN966)



d	dk	f	k	l
M3	5.6	0.75	1.65	3-40
M4	7.5	1.0	2.2	4-50
M5	9.2	1.25	2.5	6-50
M6	11	1.5	3.0	8-50
M8	14.5	2.0	4.0	10-55
M10	18	2.5	5.0	12-60

Thread Rods




d	M4	M5	M6	M8	M10	M12	M14	M16	M18	
l	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000
d	M20	M22	M24	M27	M30	M33	M36	M42		
l	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000		
d	1/4-20	5/16-18	3/8-16	7/16-14	1/2-13	9/16-12	5/8-11	3/4-10	7/8-9	1-8
l	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000	1000-4000




Rigging

Flat Washers
(DIN125/DIN126)




Size	d	D	s
M3	3.2	7	0.5
M4	4.3	9	0.8
M5	5.3	10	1.0
M6	6.4	12	1.5
M8	8.4	16	1.5
M10	10.5	20	2.0
M12	13	24	2.5
M14	15	28	2.5
M16	17	30	3.0
M18	19	34	3.0
M20	21	37	3.0
M22	23	39	3.0
M24	25	44	4.0
M27	28	50	4.0
M30	31	56	4.0
M33	34	60	5.0
M36	37	66	5.0

Flat Washers
(DIN9021)




Size	d	D	s
M3	3.2	9	0.8
M4	4.3	12	1.0
M5	5.3	15	1.2
M6	6.4	18	1.5
M8	8.4	24	2.0
M10	10.5	30	2.5
M12	13	37	3.0
M14	15	44	3.0
M16	17	50	3.0
M18	20	56	4.0
M20	22	60	4.0

Spring Washers
(DIN127B)



Size	d	D	s
M3	3.4	6.2	0.8
M4	4.4	7.6	0.9
M5	5.4	9.2	1.2
M6	6.5	11.8	1.5
M8	8.5	14.8	2.0
M10	10.7	18.1	2.2
M12	12.7	21.1	2.5
M14	14.7	24.1	3.0
M16	17	27.4	3.5
M18	19	29.4	3.5
M20	21.2	33.6	4.0
M22	23.5	35.9	4.0
M24	25.5	40	5.0
M27	28.5	43	5.0
M30	31.7	48.2	6.0


Spring Washers
(DIN7980)



size	d	D	s
M3	3.1	5.6	1.0
M4	4.1	7.0	1.2
M5	5.1	8.8	1.5
M6	6.1	9.9	1.5
M8	8.1	12.7	2.0
M10	10.2	16	2.5
M12	12.2	18	2.5
M14	14.2	21.1	3.0
M16	16.2	24.4	3.5
M18	18.2	26.4	3.5
M20	20.2	30.6	4.5
M22	22.5	32.9	4.5
M24	24.5	35.9	5.0



**Eye Bolt
DIN580**




Specification	Specification
M6	M16
M8	M20
M10	M24
M12	M30
M14	M36

**Ring Nut
DIN582**




Specification	Specification
M6	M16
M8	M20
M10	M24
M12	M30
M14	M36

**Turnbuckle
DIN1480**




Specification	Specification
5x70	14x140
6x110	16x170
8x110	20x200
10x125	24x255
12x125	

S Hook




Specification	Specification
3MM	7MM
4MM	8MM
5MM	10MM
6MM	

**Short Link Chain
DIN766**




Specification	Specification
2MM	12MM
3MM	14MM
4MM	16MM
5MM	18MM
6MM	23MM
8MM	26MM
10MM	28MM

**Wire Rope Clip
DIN741**




Specification	Specification
3MM	16MM
5MM	20MM
6MM	22MM
8MM	24MM
10MM	26MM
12MM	30MM
14MM	34MM

Straight Shackle




Specification	Specification
5MM	18MM
6MM	20MM
8MM	22MM
10MM	25MM
12MM	28MM
14MM	32MM
16MM	

Pipe Clamp




Specification	Specification
15-18MM	75-80MM
20-24MM	106-112MM
26-30MM	133-140MM
32-36MM	159-165MM
38-42MM	
51-55MM	
60-64MM	

**Long Link Chain
DIN763**



Specification	Specification
2MM	10MM
3MM	12MM
4MM	14MM
5MM	16MM
6MM	18MM
8MM	20MM

Hose Clamp



Specification	Specification
16-25MM	44-64MM
25-38MM	76-92MM
32-44MM	80-100MM
35-51MM	110-130MM

Steel Wire Rope
DIN3055



Specification	Specification
2MM	8MM
3MM	10MM
4MM	12MM
5MM	13MM
6MM	16MM

Steel Wire Rope With Pvc



Specification	Specification
2MM	8MM
3MM	10MM
4MM	12MM
5MM	13MM
6MM	16MM

Thimble
DIN6899A



Specification	Specification
4	12
5	14
6	16
8	18
10	20

Snap Hook
DIN5299C



Specification	Specification
4x40	9x90
5x50	10x100
6x60	11x120
7x70	12x140
8x80	13x160

Oval Aluminum Cover
DIN3093



Specification	Specification
7MM	18MM
11MM	22MM
14MM	28MM

Quick Link



Specification	Specification
3.5MM	8MM
4MM	10MM
5MM	12MM
6MM	14MM
7MM	16MM

Rotating Ring
401



Specification	Specification
1/4	7/8
5/16	1
3/8	
1/2	
5/8	

Rotating Ring
402



Specification	Specification
1/4	7/8
5/16	1
3/8	
1/2	
5/8	

Rotating Ring
403



Specification	Specification
1/4	7/8
5/16	1
3/8	
1/2	
5/8	

Lift Hook
DIN689



Specification	Specification
250	4000
500	5000
1000	6300
2500	
3200	

Electro Galvanized Chain Card



Specification	Specification
M6	M16
M8	M20
M10	M24
M12	M30
M14	

Single Spring Wheel



Specification	Specification
15MM	40MM
20MM	50MM
25MM	65MM
30MM	

Rod Type Cold Stamping Parts



Precision Turning Parts



Hole Cold Forming Parts



Stamping Parts

